Paper 4 - Fundamentals of Business Mathematics and Statistics

Paper-4: Fundamentals of Business Mathematics and Statistics

Tir	ne Al	lowed: 3 Hours			Full Marks: 100							
		The figure	es in the margin on	the right side indicate	full marks.							
	This question paper has two sections.											
		Both the sections a	are to be answered	subject to instructions	given against each.							
			Sec	ction – A								
I.	(a) (Choose the correct	answer		(9 × 2 = 18)							
	(1)	The ratio of work of states of the states of	done by (x + 2) mer f x is	n in (x – 2) days to that	of (x – 1) men in (x + 1) days							
		(a) ± 4,	(b) 6,	(c) 4,	(d) 8							
	(2)	The mean proport	tional between 2 an	id 8 is								
		(a) 4	(b) 16	(c) 3	(d) 1							
	(3)	If one roots of the equal to	equation x ² - 3x + 1	m = 0 exceeds the oth	er by 5 then the value of M is							
		(a) -6	(b) -4	(c) 12	(d) 18							
	(4)	If $n_{p_3} = 120$ then r	ו =									
		(a) 8	(b) 4	(c) 6	(d) None of these							
	(5)	The 7 th term of the	Arithmetic Progres	sion (AP) 7, 10, 13, 16,	is							
		(a) 28	(b) 22	(c) 25	(d) 20							
	(6)	If $r_{12} = r_{8}$ find	22 _{cr}									
		(a) 213	(b) 321	(c) 231	(d) None of these							
	(7)	Some money is d receives:	listributed between	A and B in the ratio 2	2:3. If A receives ₹ 72, then B							
		(a) ₹90	(b) ₹ 144	(c) ₹ 108	(d) None of these							
	(8)	The value of loga	rithm of 1 to the bas	e 10 is								
		(a) 2	(b) 10	(c) 0	(d) 1							
(9) If ⁿ P ₂ = 30 × ⁿ P ₂ , then the value of n is												
	-	(a) 10	(b) 8	(c) 6	(d) 5							

I.	(b) State whether the following statements are true or false	(6 × 1 =	6)
	(1) The average of 50 numbers is 38. If two numbers, namely 45 and 55 are disc average of the remaining numbers is 30.	arded, (the)
	(2) The value of ${}^{5}C_{2}$ is equal to ${}^{5}C_{3}$.	()
	(3) The geometric mean of 3 and 1/3 is – 1	()
	(4) If ${}^{n}C_{n} = 1$ then $0! = 1$	()
	(5) If P = 2 + $\sqrt{3}$, then $\frac{1}{p}$ = 2 - $\sqrt{3}$.	()
	(6) The degree of the equation $3x^5 + xyz^2 + y^3$ is 3	()
II.	Answer any four questions. Each question carries 4 marks (4	↓ × 4 = 10	6)

- (1) If $\mathbf{x} \propto \mathbf{y}$, then prove that $\mathbf{x}^2 + \mathbf{y}^2 \propto \mathbf{x}^2 \mathbf{y}^2$.
- (2) What sum of money will yield ₹ 1,407 as interest in 1½ year at 14% p.a. simple interest?
- (3) Find the value of log₅ $3 \times \log_3 625$
- (4) Find the number of ways in which a person can invite his 4 friends selecting at least 1
- (5) From a company of 15 men, how many selections of 9 men can be made so as to exclude 3 particular men?
- (6) If p and q are the roots of the quadratic equation $x^2 + x 1 = 0$, find the value of $\frac{1}{p} + \frac{1}{q}$

Section – B

- III. (a) Choose the correct answer
 - (1) Given a table:

Value (great	100	150	200	250				
Frequency	50	32	9	0				
The number of observations between 150 and 200 is								
(a) 23	c) 8		(d) 1	8				

 $(12 \times 2 = 24)$

(2) Given the table:

	Class Interval		10-15	15-20	20-25	25-30	30-35		
	Frequency		5	7	4	6	8		
	The class m	ark for the second c	lass is				•		
	(a) 27.5	(b) 17.5	(c) 12	2.5	(d	l) 32.5			
(3)	The Arithme (a) 7	etic Mean for the seri (b) 4	es 2, 6, 7, 9 (c) 5	, 4, 2 is	(d	I) 6			
(4)	$x = \frac{31}{6} - \frac{y}{6}$	is the regression eq	uation of						
	(b) y or	ıx (b) x on y	/	(c) both		(d)	none		
(5)	The mean of (a) 5.5	of first 10 even numb (b) 55	er is	(c) 11		(d)	none of t	hese	
(6)	A. M. of 40 observatior (a) 25640) observations of a is is (b) 2654	variable is	(c) 2456	5. D. is 4	. The sur (d)	n of squa	ares of all	
<u> </u>	(4) 20010	(5) 200 1		(0) 2100		(u)	20100		
(7)	lf y = a + bx (a) 1	(b) -1 (c) 1 or -	efficient o 1 according	f correlation g as b > 0 o	on betwe or b < 0	en x and (d)	y? None of	these	
(8)	The Standar (a) Square (c) their al	rd Deviation for two o of their difference. osolute difference.	observatior	ns is (b) half (d) twice	of their a e of their	bsolute d absolute	lifference difference	ce.	
(9)	lf an unbias	ed coin is tossed tw	ice, the pro	obability of	f obtaily (of obtain	ing at lea	ast one tail	
	(a) 0.25	(b) 0.50		(c) 0.75		(d)	1.00		
(10)	(10) Difference between the maximum & minimum value of a given data is called – (a) Width (b) Size (c) Range (d) Class								
(11)	11) Two dice are thrown together. The probability that 'the event the difference of nos.								
	(a) 2/9	(b) 5/9		(c) 4/9		(d)	7/9		
(12) If A and B	be two mutually exc	lusive ever	nts and P (A	A) = $\frac{3}{4}$, P	(A∪B) = <u>{</u>	5 5 then P(B) is	
	(a) $\frac{2}{3}$	(b) $\frac{3}{5}$		(c) <u>5</u> 12		(d)	$\frac{1}{12}$		

III.	(b) State whether the following statements are true or false	(12 ×	1 =	12)
	(1) In any group frequency distribution class intervals are of equal width always.		()
	(2) Frequency densities are necessary for drawing histogram.		()
	(3) The slope of the regression line of y on x is b_{yx}		()
	(4) If events are mutually exclusive then their probabilities are less than one		()
	(5) In a moderately asymmetrical distribution A.M. < G.M. < H.M.		()
	(6) Median is the value of a variable which divides the whole statistical data into two parts.	D	()
	(7) The sum of individual observations from mean is one		()
	(8) If x and y satisfy the relationship $y = -5 + 7x$, the value of r is zero		()
	(9) When one regression coefficient is negative and other regression coefficient also negative.	is	()
	(10) Mode is the value that has maximum frequency		()
	(11) In the line y = 19 - $\frac{5x}{2}$, b _{yx} is equal to -5/2		()
	(12) Sum of all probabilities is equal to one		()

IV. Answer any four questions. Each question carries 6 marks $(4 \times 6 = 24)$

(1) The frequency distribution of marks of 100 students is given below. If the median is 32, obtain the missing frequencies.

Marks	0 - 10	10 - 20	20 - 30	30 - 40	40 - 50	50 - 60
No. of students	10	-	25	30	-	10

(2) For 10 values of x, it is given that $\sum u = 4$ and $\sum u^2 = 144$, where $u = \frac{x - 10}{5}$. Find the mean and S.D. of x.

- (3) The lines of regression of y on x and x on y are respectively y = x + 5 and 16x = 9y 94. Find the variance of x if the variance of y is 16. Also, find the covariance of x and y.
- (4) Compute rank correlation from the following table

Х	415	434	420	430	424	428
Y	330	332	328	331	327	325

- (5) The means of samples of sizes 50 and 75 are 60 and x respectively. If the mean of the combined group is 54, find x.
- (6) Two unbiased dice are thrown. Construct the set of pairs of points having difference 2 between them. Hence, find the probability of getting the difference 2 between the points in each pair.